

Curing Units

Boil out curing units

HANDLER - 100874 Boilout/Curing Double Tank

US\$ 3,719.10

[+ INFO](#)


Boilout/ Curing unit - Double tank - [18in wide x 14in deph x 12in deep] - [46cmx30cmx30cm] and a 10inwide x 14in depth x 10in deep [25cm x 36cm x 25cm] with inside handles - [H# 26102] Built in 18gauge stainless steel. Specify natural gas or manufactured when ordering - Gas operated (not electrical) SPECIFY TYPE OF GAS - WILL FIT STANDARD #261 BOILOUT GABINET [Handler #26102] [HS#612-2744] Dimensions 24 inches wide x 18 deep x 29 high (61cm x 46 x 73) weight 100lb (46 kg) [polymerizator polimerizadoras]

HANDLER - 100871 Boilout/washout 2 Tanks

US\$ 5,189.00

[+ INFO](#)


Boil-out / washout Curing unit - [boilout] - Two tanks - Built in 18gauge stainless steel -[18in wide x 14in deph x 12in deep] - and [10cm x 14cm x 12 cm] the second tank - [H# 26105] 4 Faucets - Pump for recirculate the water and filter for wax - Gas operated (not electrical) - Will fit the standard boileout cabinet #261 [Handler #26105] [HS#612-8572] [lavadora de cera - desencerado] Dimentions : 32inches x 18 x 36 high (81cm x 46 x 91) Weight 175lb lb - 80 Kg) [polymerizator polimerizadoras]

HANDLER - 100875 Boilout/Washout 2 Tanks

US\$ 6,365.10

[+ INFO](#)


Boil-out / washout Curing unit - [boilout] - Two tanks - Built in 18gauge stainless steel -18 wide x 14 deph x 12 deep - and 10 x 14 x 12 the second tank- 4 Faucets - Pump for recirculate the water and filter for wax - Gas operated (not electrical) - Will fit the standard boileout cabinet #261 [Handler #26105] [HS#612-2524] - Comes complete with Handler #251 Boilout Cabinet - Full stainless steel top with marine edging to eliminate water overflow-[lavadora de cera - desencerado] Dimensions : 35inches x 23 x 36 3/4 high (89cm x 59 x 93) Weight 360lb lb - 163.3 Kg) [H# 26105 SSWCG] [polymerizator polimerizadoras]

KEYSTONE - 34-1050159 Curing Unit for 8 Flasks 110v

US\$ 382.50

[+ INFO](#)


Keystone Denture Curing Unit - Stainless construction for easy cleaning and anti-corrosion - Can be used for both boil out and curing - Thermostatic control for variable holding temperatures - Cures up to 4 double flask compresses (8) denture arches UL listed - Valve/spigot for easy emptying of water - 110volt - 1380watts [polymerizator polimerizadoras] -- Shipping Information: Weight 17lbs - Dimensions : Height 16in x width 15in x depth 12in -

Curing Units

Curing Unit Parts

ECCO LIGHT PARTS

All ECCO branded products, regardless of point of manufacture, are backed by the US DENTAL DEPOT certification of quality control, as well as our direct warranty service and our free technical support in 2 languages, on the phone or by email.



Code	Name	Price	+
101943	ECCO - Charger ECCO Light 110/220V	US\$ 18.00	+Info
101938	ECCO - Fiber Optic For ECCO Lights	US\$ 38.00	+Info



101941	ECCO - Green Button for ECCO Light	US\$ 3.00	+Info
101942	ECCO - Replac Batt for ECCO Light	US\$ 49.00	+Info

ECCO - 102238 Light Meter For LED Lamps

US\$ 150.00

Light Meter For light curing LED Lamps

[+ INFO](#)



Curing Units

Light curing units -

ECCO - 102161 Bleaching Tip for Led lamp

US\$ 45.00

Bleaching Tip for Led lamp ECCO-Light-S-2 and S-1 - 8mm diameter -

[+ INFO](#)



EDG - 100654 LC Strob Vac Polim 1200w

US\$ 1,504.79

EDG STROBOLUX VACUUM PHOTOPOLYMERIZATOR

*Photopolymerizator

*Stroboscopic

*Fiber

*Vacuum

*2 Curing Programs

*1 Xenon Bulb

*1200Watts

[+ INFO](#)



SELECT - 1901450 LC Maxi- Cure Lt 4 lamp 110v

US\$ 244.00

Maxi-Cure Light - complete light curing unit with 5 and 10 minute timer - 4 lamps - [11in wide x 5 in dephx 4.25in deep] - [27.5cm x 12.5cm x10.6cm]- 110vol [S# 1901450] - 1 year warranty - light uses four 9 watt bulbs [included] and cures most light activated compsites including megatray - heavy duty construction makes the maxi cure light cure box a reliable way to cure materials - 16x12x10 12lbs

[+ INFO](#)



ART - 101253 LC Unit ART-L-3 LED 110v

US\$ 224.00

Bonart Light Curing Unit ART L-3 LED 110volts [B# L3FARTBA1PS0] Plastic Handle - Cordless - Comes with Rechargeable Base - 18 month warranty

[+ INFO](#)



ART - 101231 LC Unit ART-L2 110v

US\$ 224.00

Bonart Light Curing Unit ART- L2 [B#] 110vol Handle - Power Cord - Eye Protector - 9.5mm Light Guide Probe - High output light intensity 550W/cm2 - 4 optional digital timing setting- timer memorial function- 10sec Beeper Reminder - Selective Colors of Blue - Purple- Green - Phillip Light Bulb 12v/75w - 1 yr on the PC Board - 1 yr on the accessories -

[+ INFO](#)



EDG - 100655 LED light w/vacuum 830nw

US\$ 1,090.00

EDG LED LUX PHOTOPOLYMERIZATOR

*LED Light Cure

*460-395nm

*Vacuum Cure System Included

*NO PUMP

*Can Cure Fiber Reinforced Resins

[+ INFO](#)



*830nw/cm2

VH - 100833 LED Strbio & UV Light Cur Unit

US\$ 722.00

[+ INFO](#)



VH PHOTON LIGHT CURING LIGHT UNIT

- *Digital Timer
- *Set Up of 3 Different Type of Curing Lights
- * Stroboscopic Light
- *6 LED Lamps
- *2 Ultraviolet Bulbs
- *18 Month Warranty -Including Bulbs
- *Frequency 50-60HZ
- *110/220V
- *Dimensions: 290 x 167 x 232mm
- *Weight 4.4LB
- *Power Max: 5Watts
- *Incorporated Pre-Polymerizer LED to Improve and Facilitate Work with Resin
- *Rotational Platform to Guarantee Light Access to All Work



ECCO - 400106 LIGHT-S-0 Ortho Led 2000nw

US\$ 245.00

[+ INFO](#)

ECCO-LIGHT-S-O LED Curing 2000

Portable Curing Light Wireless 2000
For Orthodontics cementation
Excellent design - Stainless steel body
CE stamp certificate
Lithium Battery

2. Standard accessories:
Curing light
Connect line (each one set)
Special power supply
Operation manual and maintenance card

3. Technical parameters
Power voltage AC100-240V 50-60Hz
Input power 5W
Light intensity 2200mw/cm2
Wavelength 400-500nm
1 Year warranty



ECCO - 101381 LIGHT-S-I Led 1200nw/cm2

US\$ 175.00

[+ INFO](#)

LIGHT-S-I Led 1200nw/cm2

1. Product introduction This product is used in fast solidification by lighting dental resin. It is a new generation of standard developed LED curing light, with humanity intelligent chip, the world advanced high intensity LED light and Li-on rechargeable battery. It can cure all the dental resin in the market nowadays, Its performance is further surpass the halogen curing light's, which can **solidify 4-5mm deepness in 20 seconds**.

2. Standard accessories:

Curing light
Connect line (each one set)
Special power supply
Operation manual and maintenance card

3. Technical parameters

Power voltage AC100-240V 50-60Hz
Input power 5W
Light intensity 600mw/cm2 and 1200mw/cm2
Wavelength 400-500nm
1 Year warranty



ECCO - 101921 LIGHT-S-II Led 1400nw -Display

US\$ 198.00

[+ INFO](#)

ECCO LIGHT-S-II 1400 mW Item # 101921

Carton LED curing light S-II is a perfect combination of the highly efficient LED tube, the micro-control electric circuit and the rechargeable lithium battery. So it is featured with high efficiency, outstanding function, convenient operation, and longevity, making it become the latest top product in the global dentistry market. 1.

It can produce a strong blue light directly.

The depth of the polymerization of resin material can reach 2mm.

2. It is a kind of cableless machine, equipped with rechargeable battery. When charged once, the machine can be used for 40 minutes continuously.

3. The machine can hang directly on the toothchair or the rack for special use for safety and convenience.

4. Convenient to operate:

5. 3 preset curing light time from 10- 20- 30 seconds.

6. The light intensity can reach 500mW/cm2 - 900 mW and 1400 mW

SPECIFICATIONS AND EQUIPMENT CLASS

Power supply: Input voltage: 220VAC+10%

Output voltage: 4.2VDC+/-0.1 Output current: 600+/-50 mA

Internal power supply lithium battery: 3.7 v saturated electricity measures 700mAh charging time: about 2.5 hours

Equipment class: Class A (Medical Appliance Classification Catalog)

Protection from ingress of liquids: None

Lamp: 3.6V AC, 3W

Output wavelength range: 420-480nm (nanometers)





Feature size: 20*198mm

Net weight: about 105g

Warranty: one year Standard accessory include: adapter 1 pc , (European or American type) , sterilize sheet 1pack (50pcs) user's manual



ECCO - 101955 LIGHT-S-III Led 500nw

US\$ 98.00

ECCO-LIGHT-S-III Led 500nw

Curing Light -

Perfect for composite -

Wireless and also the cable option if necessary. -

Ce Marked

Timers: 10-20-30 sec -

Operation mode : 1 MODE: SHINY = permanent on and stop when timer

is set - 8 Seconds

Solidify 2.5-3 mm deepness -

CONTAINS :

Accessories - connection line [each one set] -

Protection sheet 50 units --

Special power supply

Operation manual and maintenance card -

TECHNIOCAL INFO

Power voltage AC110vol - 220vol -[50-60Hz] = input power 5wat --

Wavelength 400-500nm -

[+ INFO](#)



ECCO - 102285 Light-S-IV Cur/Bleach Lite LED

US\$ 300.20

ECCO-LIGHT-S-4

Excellent For Bleaching and Curing Orthodontics

*1400-2200mW/cms

*Curing Light

*5 Watt LED

*Handpiece

*Charging Base

*Lithium Battery Charger

*Eye Protector Cover

*Optic Light Guide

*User Manual

*Beep At Each 5 Second to Indicate Curing Time

*Seven Pre-Set Curing Times: 5/10/15/20/25/30/40 Seconds

*Cord/Cordless(Both)

*Three Pre-set Programs

*Fast-Soft Mode 1- Soft Mode 2

[+ INFO](#)





Curing Units

Pressure Units & Pots

VH - 101925 Alum Pressure Pot 1Gal

US\$ 135.00

VH- ALUMINIUM PRESSURE POT 1 GALLON

- *Pressure Pot 1 Gallon
- * Holds Up To 4 Flasks
- *Quick Connect Air Line Connector
- *Pressure Pot to Process Pour
- *Self Curing and Other Resins
- *1 Year Warranty

[+ INFO](#)



EDG - 101394 Polymerizator M500 110vol

US\$ 1,000.37

EDG POLYMERIZATOR M500

- *110V
- *Dimensions: 160 x 300mm
- *Ideal For Polymerizations dry & Inclusions Under Pressure

[+ INFO](#)



CFS - 279106 Pres Pot 1.5gal

US\$ 172.80

CFS PRESSURE POT 1.5GALLON

- * Pressure Pot 6Quarts
- *110V
- *Holds Up To 6 Poured Flasks
- *Constructed From Aluminum
- *Available w/ Automatic Air Regulator and Heater

[+ INFO](#)



CFS - 280106 Pres Pot w/Heater 1.5gal 110v

US\$ 345.00

CFS PRESSURE POT W/ HEATER 1.5 GALLON

- *Pressure Pot
- *Heat
- *6Qt/1.5Gallon
- *110 or 220V
- *Aluminum Housing
- *This Pressure Pot Features a Heat Controlled Thermostat With an Internal Gauge
- *Temperatures are Adjustable and a Lock Valve Allows the Airline to Disconnect From the Pressure Pot

[+ INFO](#)





CFS - 282106 Pres Pot w/Heater 2gal 110v

US\$ 357.75

CFS PRESSURE POT W/ HEATER 2 GALLON

*Pressure Pot

*Heat

*8Qt/2Gallon

*110V

*Aluminum Housing

*Available in Gas Powered

*This Durable Product is Constructed From Aluminum

*Holds up tp 6 Poured Flasks

[+ INFO](#)



Curing Units

Washout only units

HANDLER - 100870 Washout Single 1 Tank

US\$ 3,719.10

Washout unit only - [boilout unit] - Single tank - 110vol - Dimensions : [18in wide x 14in deph x 12in deep] - [45cm x 35cm x 30cm] [H# 26104] Built in 18gauge stainless steel. Pump to recirculate water and wax filter - Gas operated (not electrical) [Handler #26104] Special Order -

[+ INFO](#)



Catalog Index / Índice del Catálogo

Curing Units

Boil out curing units	1
Curing Unit Parts	1
ECCO LIGHT PARTS	1
Light curing units -	2
Pressure Units & Pots	6
Washout only units	7